

CATALOG
2016
Moving forward.





PFAU-Tec

reha-technik · entwicklung · konstruktion





Driving pleasure meets innovation.



PALERMO

Feel the ride.

His modern design makes him to everybodys darling. A real eye-catcher.





COMFORT

Length/ width: 1870/710 mm

Access height: 250 mm

Weight: 32 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

24/24" steel frame, deep wide entry, differential, LED-head and rear light, hub dynamo, double wall rim, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ pearl fawn

Item no.: 12/1020.92



COMFORT FM

Length/ width: 1870/710 mm

Access height: 250 mm

Weight: 40 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with front motor (display) 9,0 Ah, 24/24" steel frame, deep wide entry, differential, LED-head and rear light, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ pearl fawn

Item no.: 12/1020.92 ANS



PALERMO

Length/ width: 1970/710 mm

Access height: 250 mm

Weight: 38 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 9,0 Ah, 24/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ stone brown

Item no.: 15/0090.99



SCOOTERTRIKE FM

Lay back and enjoy the ride.

Comfortable driving and a cool & stylish look – that's ScooterTrike.



SCOOTER S

Length/ width: 1937/710 mm

Access height: 490 mm

Weight: 33 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

16/20" steel frame, differential, spring mounted linkage, seat cushion with back rest (adjustable in height and inclination), LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 5-speed with reverse gears

Colour:

■ azure blue

Item no.: 09/1055.01 S



SCOOTER L

Length/ width: 1937/710 mm

Access height: 490 mm

Weight: 33,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

16/20" steel frame, differential, spring mounted linkage, seat cushion with back rest (adjustable in height and inclination), LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 5-speed with reverse gears

Colour:

■ azure blue

Item no.: 09/1055.01 L



SCOOTERTRIKE FM

Length/ width: 1937/710 mm

Access height: 490 mm

Weight: 41,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with front motor (display) 9,0 Ah, 16/20" steel frame, differential, spring mounted linkage, seat cushion with back rest (adjustable in height and inclination), LED-head and rear light, parking brake, shopping basket rear, 5-speed with reverse gears

Colour:

■ azure blue

Item no.: 09/1055.01 L/S ANS



ADVANCED

Moving smoothly through the city. No sweat!
Driving and relaxing at the same time.





CLASSIC

Length/ width: 2000/710 mm

Access height: 160 mm

Weight: 30,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 3-speed with coaster brake

Colour:

■ steel blue

Item no.: 02/1020.90



ELEGANCE

Length/ width: 2000/710 mm

Access height: 160 mm

Weight: 30,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ steel blue

Item no.: 02/1020.92



ADVANCED

Length/ width: 2000/710 mm

Access height: 160 mm

Weight: 34,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, suspension fork, seat post with suspension, LED-head and rear light, hub dynamo, parking brake, lockable trunk rear, 7-speed with coaster brake

Colour:

■ steel blue

Item no.: 02/1020.91



VERONA

Tailwind inclusive!
The torque controlled sensor delivers powerful support.
Choose your favorite from 5 different level.





NAPOLI 2

Length/ width: 2000/710 mm

Access height: 160 mm

Weight: 40,2 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with front motor (display) 9,0 Ah, 26/24" steel frame, deep wide entry, differential, LED-head and rear light, parking brake, shopping basket rear, 3-speed with coaster brake

Colour:

■ steel blue

Item no.: 12/1020.95



VERONA

Length/ width: 2050/710 mm

Access height: 160 mm

Weight: 43 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 9,0 Ah, 26/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ steel blue

Item no.: 15/1020.97



TORINO

Dynamic, powerful and relaxed from A to B.
Reach your goal energetic and effortless.





ALLY

Length/ width: 1900/710 mm

Access height: 150 mm

Weight: 30 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

24/24" steel frame, disassemble, deep wide entry, double wall rim, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ blue green

Item no.: 13/0050.01



TORINO

Length/ width: 1900/710 mm

Access height: 150 mm

Weight: 42,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 9,0 Ah, 24/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, parking brake, shopping basket rear, 7-speed with coaster brake

Colour:

■ highland grey

Item no.: 15/0050.01



SPECIAL

Alloy tricycle in lightweight and sturdy construction.
Also suited for taller adults.





PROVEN

Length/ width: 1845/710 mm

Access height: 420 mm

Weight: 19,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" steel frame, differential,
LED-head and rear light, hub dynamo,
parking brake, shopping basket rear,
3-speed with coaster brake

Colour:

■ black

Item no.: 06/1020.92



SPECIAL

Length/ width: 1880/710 mm

Access height: 280 mm

Weight: 25,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

26/24" alloy frame, deep wide entry,
differential, suspension fork, double wall rim,
seat post with suspension,
LED-head and rear light, hub dynamo,
parking brake, shopping basket rear,
3-speed with coaster brake

Colour:

■ silver

Item no.: 08/1020.92



PFAU-Tec

reha-technik · entwicklung · konstruktion





Feel save and well.



PRONTO

Everything in view with two wheels in front.
For customers who prefer the driving experience from a T-Bike
combined with high-performance electric support.



PRIMO-HEINZMANN

Length/ width: 1750/800 mm

Access height: 170 mm

Weight: 44 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Heinzmann-rearwheel-motor (DP), display 11,0 Ah (movement sensor, twist grip), 20/26" steel frame, deep wide entry, LED-head and rear light, parking brake, drum brakes front, fully floating axle with adjustable suspension, basket front, 1-speed free hub

Colour:

■ cardinal red

Item no.: 10/0045.06



PRONTO

Length/ width: 1820/800 mm

Access height: 180 mm

Weight: 44,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 9,0 Ah, 20/26" steel frame, deep wide entry, LED-head and rear light battery powered, parking brake, drum brakes front, fully floating axle with adjustable suspension, basket front, 7-speed with coaster brake

Colour:

■ dull black

Item no.: 15/0045.06



PRIMO

Estimate the whole width of appearing alleyways or barrier.
This provides a sure and eased driving. Well suitable for newcomer and beginners.





BENE

Length/ width: 1550/800 mm

Access height: 180 mm

Weight: 32,5 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Aid-number: 22.51.02.0041

Standard specification:

20/24" steel frame, disassemble, deep wide entry, LED-head and rear light, parking brake, drum brakes front, basket front, 3-speed with coaster brake

Colour:

■ moss-green

Item no.: 05/0045.04



CAPO

Length/ width: 1750/800 mm

Access height: 170 mm

Weight: 33 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Aid-number: 22.51.02.0042

Standard specification:

20/26" steel frame, disassemble, deep wide entry, LED-head and rear light, parking brake, drum brakes front, basket front, 3-speed with coaster brake

Colour:

■ cardinal red

Item no.: 05/0045.01



PRIMO

Length/ width: 1750/800 mm

Access height: 170 mm

Weight: 36 kg

Max. payload user: 100 kg

Max. payload luggage: 20 kg

Aid-number: 22.51.02.0043

Standard specification:

20/26" steel frame, disassemble, deep wide entry, LED-head and rear light, parking brake, drum brakes front, fully floating axle with adjustable suspension, basket front, 7-speed with coaster brake

Colour:

■ cardinal red

Item no.: 05/0045.02



MONZA

Heavy duty, and extremely resistant on 4 wheels. Almost easy to maneuver and supported from a powerful electric system. Suitable for heavy persons up to 160 kg.





PRIMO-QUAD

Length/ width: 1890/800 mm

Access height: 170 mm

Weight: 46,5 kg

Max. payload user: 160 kg

Max. payload luggage: 20 kg

Aid-number: 22.51.02.0044

Standard specification:

20/24" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, parking brake, drum brakes front, seat post with suspension, fully floating axle with adjustable suspension, basket front and rear, 5-speed with reverse gears,

Colour:

■ cardinal red

Item no.: 05/0045.03



MONZA

Length/ width: 1980/800 mm

Access height: 170 mm

Weight: 59 kg

Max. payload user: 160 kg

Max. payload luggage: 20 kg

Standard specification:

Pedelec with Bafang-Max-Drive mid-motor (display) 9,0 Ah, 20/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, parking brake, drum brakes front, fully floating axle with adjustable suspension, basket front and rear, 7-speed with coaster brake

Colour:

■ anthracite

Item no.: 15/0017.50



PFAU-Tec

reha-technik · entwicklung · konstruktion





Impressive performance, powerful energy.



GRAZIA-BOSCH

The powerful e-motor Bosch-Active-Line combines a perfect match between pedal assistance (4 Level) and a clear on-board computer.





ROBUSTO ST.

Length/ width: 2000/710 mm

Access height: 160 mm

Weight: 30,5 kg

Max. payload user: 120 kg

Max. payload luggage: 25 kg

Aid-number: 22.51.02.0021

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, parking brake, shopping basket rear, 3-speed with coaster brake

Colour:

■ silver

Item no.: 00/0020.90



ROBUSTO DELUXE

Length/ width: 2000/710 mm

Access height: 160 mm

Weight: 34,5 kg

Max. payload user: 120 kg

Max. payload luggage: 25 kg

Aid-number: 22.51.02.0022

Standard specification:

26/24" steel frame, disassemble, deep wide entry, differential, suspension fork, seat post with suspension, LED-head and rear light, parking brake, lockable trunk rear, 7-speed with coaster brake

Colour:

■ silver

Item no.: 00/0020.91



GRAZIA-BOSCH

Length/ width: 2050/710 mm

Access height: 160 mm

Weight: 45,5 kg

Max. payload user: 120 kg

Max. payload luggage: 25 kg

Aid-number: 22.51.04.001

Standard specification:

Pedelec with Bosch-Active-Line mid-motor 11 Ah, 26/24" steel frame, deep wide entry, differential, LED-head and rear light battery powered, suspension fork, seat post with suspension, parking brake, lockable trunk rear, 7-speed with coaster brake

Colour:

■ silver

Item no.: 15/0020.95



MOBILE

Teenagers as well as adults can easily increase their area of independence without effort.





AMICO 24"

Length/ width: 1660/780 mm

Access height: 450 mm

Weight: 21 kg

Max. payload user: 100 kg

Max. payload luggage: 10 kg

Aid-number: 22.51.01.0011

Standard specification:

24" alloy/steel frame*, deep entry, LED-head and rear light, hub dynamo, parking brake, 3-speed with coaster brake

Colour:

■ blue-silver

* Also available in size: 12", 16", 20" and 26"

Item no.: 03/0015.93



LESTO 20"

Length/ width: 1510/710 mm

Access height: 410 mm

Weight: 18 kg

Max. payload user: 50 kg

Max. payload luggage: 5 kg

Aid-number: 22.51.02.0058

Standard specification:

20/20" alloy/steel frame*, deep entry, LED-head and rear light, parking brake, shopping basket rear, fixed hub

Colour:

■ blue-silver

* Also available in size: 12" and 16"

Item no.: 08/0020.04



MOBILE

Length/ width: 1780/560 mm

Access height: 140 mm

Weight: 27,7 kg

Max. payload user: 100 kg

Max. payload luggage: 10 kg

Aid-number: 22.51.02.0019

Standard specification:

24/20" steel frame, disassemble, deep wide entry, differential, LED-head and rear light, parking brake, shopping basket rear, 3-speed with coaster brake

Colour:

■ ultramarin blue

Item no.: 00/0020.92



PFAU-Tec

reha-technik · entwicklung · konstruktion





Fancy, reliable and extremely comfortable.



C2

We present a complete new driving concept. C2, a comfortable and relaxed seating position combined with a safe and pleasant driving experience. Find one's feed without leaving the seat if necessary. Trust and safety during every ride.





P1 / P3

Lenght: 1800 mm

Access height: 160 mm

Weight: 20,5 kg (P1) / 25 kg (P3)

Max. payload user: 100 kg

Max. payload luggage: 10 kg

Standard specification:

26" steel frame, extrem deep entry, LED-head and rear light, hub dynamo, Pedelec with front motor 9,0 Ah (P3), incl. 3-speed with coaster brake, incl. 7-speed with coaster brake

Colour:

■ stone brown



S1/ S3

Lenght: 1800 mm

Access height: 290 mm

Weight: 18 kg (S1) / 22,5 kg (S3)

Max. payload user: 100 kg

Max. payload luggage: 10 kg

Standard specification:

26" alloy frame, deep entry, LED-head and rear light, hub dynamo (S1), suspension fork, seat post with suspension, Pedelec with front motor 9,0 Ah (S3), incl. 3-speed with coaster brake, incl. 7-speed with coaster brake

Colour:

■ highland grey



C2

Lenght: 1900 mm

Access height: 280 mm

Weight: 30 kg

Max. payload user: 100 kg

Max. payload luggage: 10 kg

Standard specification:

24" steel frame, deep entry, LED-head and rear light battery powered, hydraulic v-brake front, Pedelec with Bafang-Max-Drive mid-motor (display) 9,0 Ah, incl. 7-speed with coaster brake

Colour:

■ iron glimmer



PFAU-Tec

reha-technik · entwicklung · konstruktion





Doubel treat.



COLLETTIVO

Join your family, for a ride into the countryside. Your child sits on place No. 1 and enjoys a safe and pleasant ride. All crucial functions like steering, shifting, and braking are taken by the rear seated position. Double joyride inclusive.





COMPAGNO

Length: 2400 mm

Access height: 430/450 mm (f/r)

Weight: 27,5 kg

Max. payload user: 80/80 kg (f/r)

Max. payload luggage: 10 kg

Standard specification:

26" alloy frame, deep entry,
LED-head and rear light,
hub dynamo,
fixed hub front bottom bracket,
7-speed with coaster brake

Colour:

■ silver

Item no.: 08/1000.03



COLLETTIVO

Length: 2270 mm

Access height: 430/450 mm (f/r)

Weight: 26,5 kg

Max. payload user: 60/100 kg (f/r)

Max. payload luggage: 10 kg

Standard specification:

24" alloy frame, deep entry,
LED-head and rear light,
hub dynamo,
fixed hub front bottom bracket,
7-speed with coaster brake

Colour:

■ silver

Item no.: 08/1000.01



FUSIONE

No matter if small or large. Tricycle-tandems are build for common rides safe and secure stand on three wheels make everyone feel comfortable.



UNIONE

Length/ width: 2400/710 mm

Access height: 420/440 mm (f/r)

Weight: 34,5 kg

Max. payload user: 60/100 kg (f/r)

Max. payload luggage: 10 kg

Standard specification:

24/24" alloy frame, deep entry, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, fixed hub front bottom bracket, 7-speed with coaster brake

Colour:

■ silver

Item no.: 08/1000.00



FUSIONE

Length/ width: 2530/710 mm

Access height: 420/440 mm (f/r)

Weight: 35 kg

Max. payload user: 80/80 kg (f/r)

Max. payload luggage: 10 kg

Standard specification:

26/24" alloy frame, deep entry, differential, LED-head and rear light, hub dynamo, parking brake, shopping basket rear, fixed hub front bottom bracket, 7-speed with coaster brake

Colour:

■ silver

Item no.: 08/1000.02




PFAU-Tec

reha-technik · entwicklung · konstruktion





Total convincing – safe driving experience.



TRICYCLE-ACCESSORIES

That's part of it! Perfect driving comfort with that certain something.
The in-house development originate a multitude of accessories and problem solvers.





ACCESSORIES

1 Crutch holder	00/1020.93
2 Rear view mirror	00/1020.97
3 Steering stop	02/0040.50
4 Arm rest	02/0030.51
5 Shift support	02/1010.02
6 Auxiliary handlebar	02/0090.01
7 Foot rest for artificial leg	04/0020.60
8 Treadle crank for disabled right	07/1020.01
8 Treadle crank for disabled left	07/1020.02
9 Crank shortener	01/1020.50
9 Adapter for crank shortener	06/0029.01



ACCESSORIES

10 Kids back rest	05/0010.52
11 T-shaped seat post	00/1020.01
12 Seat harness	102/1010.60
13 Back rest	01/0090.90
13 Kids back rest	05/0010.50
14 Foot rest adjustable leg guide	00/0020.50
15 Kids foot rest adjustable leg guide	02/0070.50
16 Foot rest till size 40	01/1020.99-2
16 Foot rest size 40-43	01/1020.99-3
16 Foot rest size 44 and taller	01/1020.99-4
17 Foot anchorage	00/1020.98
18 Guide rod	02/0030.50
19 Cover protection	02/1010.01



STABILIZER

Width (12" and 16"): 580 mm
Width (20", 24", 26" and 28"): 780 mm
Weight: 6 kg
Aid-number: 22.51.01.0011

Stabilizer retrofit!

Available in size: 12"-28" for retrofitting into an existing standard bicycle with coaster brake .

Stabilizer 12"	03/0015.50
Stabilizer 16"	03/0015.51
Stabilizer 20"	03/0015.52
Stabilizer 24"	03/0015.53
Stabilizer 26"	03/0015.54
Stabilizer 28"	03/0015.55

DRIVE SYSTEMS

Here we would like to give you a short overview about our favoured drive concepts. They are a quite essential component for a light and lighthearted locomotion. We trust in different systems for various requirements/ demands.

ELECTRIC SUPPORT BY TORQUE SENSOR

This version measures the force/ torque which is effected on the pedals. The driver will be supported with additional assistance depending to the selected driving mode at the display/ controller. This efficient system allows higher range than a RPM-sensor and is more sensitive for start ups.

ELECTRIC SUPPORT BY RPM (SPEED/ MOTION SENSOR)

No matter how hard you pedal, the RPM-sensor recognize simply the speed and motion of the crank/ pedal. Change the performance level with the push of a button on the controller. This system is suitable for persons with less power reserve.



FRONT MOTOR (FM)

Motortype: Front motor with control gear, brushless

Performance: 250 Watt

Rated voltage: 36 V

Max. torque: 27 Nm

Weight: 2,5 kg

Battery type: Li-Ion

Capacity (optional): 9 Ah (11,6 Ah, 13,4 Ah)

Weight: 2,5 kg

Sensors: Speed sensor

Assistance Level: 6

Start-up assistance: Yes (push of a button)

Light battery powered: Possible

Cruising range*: 9,0 Ah (up to 40 km)

11,6 Ah (up to 50 km)

13,4 Ah (up to 60 km)



ATTACHED IN FOLLOWING MODELS

Napoli 2

Comfort FM

Scooter FM

S3

P3

We trust in leading suppliers of electric drive systems.

The main principle front motor (FM) is: very quiet, very smooth and powerful. This small, brushless motor with planetary drive is one of the best example therefore. Choose your desired support mode up to six different levels via LED-display. Start-up assistance (up to 6 km/h) is easy to activate at the first push of a button. When support is turned off, the motor provides no resistance and the vehicle can be used conventional.

* Depends to the selected support level, geographical position, users weight, chosen capacity of battery and start up frequency. The cruising range is established well, but can be fall below (worst-case).

BAFANG MAX-DRIVE-SYSTEM

Motortype: Mid-Motor with control gear, brushless

Performance: 250 Watt

Rated voltage: 36 V

Max. torque: 50 Nm

Weight: 3,8 kg

Battery type: Li-Ion

Capacity (optional): 9 Ah (11,6 Ah, 13,4 Ah)

Weight: 2,5 kg

Sensors: Torque

Assistance Level: 5

Start-up assistance: Yes (push of a button)

Light battery powered: Yes

Cruising range*: 9,0 Ah (up to 50 km)

11,6 Ah (up to 60 km)

13,4 Ah (up to 70 km)

ATTACHED IN FOLLOWING MODELS

Torino

Verona

Palermo

Pronto

Monza

C2

POWERFUL TORQUE SENSOR



The Bafang Max-Drive-System puts the rider in complete control and operates in virtual silence.

The mid-motor constantly samples relevant information via a torque sensor and two speed sensors which are all highly sensitive. The resulting data on crank torque, vehicle speed and the speed of rotation of the pedals is made available to the controller, ensuring precise control of the vehicle while achieving the highest possible efficiency (in 5 different modes incl. start-up control).

We combine considerable approved batteries with 9,0 Ah, 11,6 Ah or 13,4 Ah capacity for an undisturbed driving pleasure.

* Depends to the selected support level, geographical position, users weight, chosen capacity of battery and start up frequency. The cruising range is established well, but can be fall below (worst-case).

BOSCH ACTIVE-LINE

Motor type: Mid-Motor with control gear, brushless

Performance: 250 Watt

Rated voltage: 36 V

Max. torque: 48 Nm

Weight: 3,8 kg

Battery type: Li-Ion

Capacity (optional): 11 Ah (400 Wh)

Weight: 2,5 kg

Sensors: Torque

Assistance Level: 4

Start-up assistance: Yes (push of a button)

Light battery powered: Yes

Cruising range*: 11 Ah (up to 60 km)



ATTACHED IN FOLLOWING MODELS

Grazia-Bosch

The Bosch-Active-Line mid-motor will be equipped in our model "Grazia-Bosch".

The power pack from the well-known German manufacturer works with a sensible torque sensor. The control/display offers every important information for the user (speed, day trip, total distance and clock). It could be set easily and offers 4 different modes and also a start-up control.

A unique feature is the estimated range of the available battery-pack charge (for constant conditions such as assistance level, route profile, etc). A really good feeling, to know how far you can drive.

* Depends to the selected support level, geographical position, users weight, chosen capacity of battery and start up frequency. The cruising range is established well, but can be fall below (worst-case).



PFAU-Tec

reha-technik · entwicklung · konstruktion



PFIFF Vertriebs GmbH

Wilhelmstr. 49 · 49610 Quakenbrück · Germany · Tel. +49 5431 90060-0 · Fax +49 5431 90060-21
www.pfiff-vertrieb.de · E-Mail: info@pfiff-vertrieb.de